


Tungsten Carbide Rotary Burr: B



D1 (mm)	D2 (mm)	L1 (mm)	L2 (mm)	Cut
6	6	57	20	Diamond
8	6	65	20	DIN MY
8	6	65	20	Diamond
8	6	65	20	DIN MX
10	6	70	25	DIN MY
10	6	70	25	Diamond
10	6	70	25	DIN MX
12	6	75	30	DIN MY
12	6	75	30	Diamond
12	6	75	30	DIN MX
16	6	77	32	Diamond
16	6	77	32	DIN MX

Information about different cuts



INOX: Outstanding milling performance in stainless steel as well as ferritic, austenitic and martensitic materials.



Aluminium: Suitable for aluminium and aluminium alloys as well as plastics.



Cut 1: Suitable for deburring non-hardened steels, soft steels, alloys and hard plastics.



Cut 2: Suitable for steels with high tensile strengths, inox, cast steels, welding seams and brass.



DIN MY: For general purposes such as deburring, chamfering and smoothing edges with clean surface. Suitable for steels with high tensile strength and welding seams.



Diamond: Suitable for hardened steels with excellent surface quality and welding seams with high tensile strength.



DIN MX and DIN MX TIN: With this universal cutting profile even hardest materials and welding seams can be machined with best finishing quality. Ideal for the tool and mould industry.



Special steel: Special designed geometry for steel and cast iron applications. Excellent cutting performance and high chip removal.